POSITIVE IMPACT COLLECTION Reaction Response

COFFEE	BIO-BASED	RESILIENT
ESPRESSO	2.5	
MACCHIATO	3	TANK A COLUMN TO A
CAPPUCCINO	3.5	
LATTE	4	
MOCHA	5	
HAND POURED COFFEE	5	1
TEA	3.5	The state of the s
		I DELETING CONTRACTOR AND



🖬 📾 📾

W W W

-

POSITIVE IMPACT COLLECTION

Reaction Response




INSPIRATION

Embracing the beauty of the natural world, the **Positive Impact Collection** is a fresh approach to create work spaces that not only are beautiful and functional, but also honor the concept of sustainable design. Capturing the timeless appeal and adaptability of stone, **Reaction** is available in three colorways of 19.69" x 39.37" tile, inspired by sandstone and slate. Imparting the warmth of natural woods, **Response** features eight colorways reminiscent of beautiful pine, acacia, teak and fir, in 7.87" x 47.24" planks. Prioritizing our sustainability commitment, this bio-based resilient collection offers high-performance flooring with its core comprised of naturally-occurring mineral components with a low environmental impact.







COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, Bio-based Resilient and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

1. NETWORK // 1842 // #2858 Protocol // Kinetex
2. BLISS // 6505 + 7505 // #3648 Wild Indigo // Bro
3. ARTISTRY // 7803 // #3682 Haze // Modular
4. REACTION // V5053 // #1170 Save // Bio-Based
5. ADAPT // 7602 // #3268 Crystal Oasis // Modu
6. BOUCLÉ II // 3081+7081 // #3652 Notions // Broa
7. AURA // 4115 // #240 Twilight Blue // Stock Ru
8. PUT A CORK IN IT // 1830 // #2182 Stein // Kin
9. SYNERGY // 1861 // #3705 Particles // Kinetex

oadloom + Modular

ed Resilient


ular

adloom + Modular

ug

netex

ar



COORDINATES

Beyond the beauty of individual products, our flooring coordinates effortlessly across all of our product platforms - modular carpet tile, broadloom, Bio-based Resilient and Kinetex textile composite flooring. This offering enables you to blend a range of designs with tonal simplicity to create palettes that reflect the demands of each unique space.

1. SOJOURN // 7504 // #3645 Sandstone // Modular
2. COMPOSITION // 7507 // #3690 Brindle // Modular

3. SYNERGY // 1861 // #3701 Solar // Kinetex

4. TECHNIQUE // 7804 // #3675 Suede // Modular

5. BLISS // 6505+7505 // #3645 Sandstone // Broadloom + Modular

6. RESPONSE // V5052 // #1166 Modify // Bio-Based Resilient
7. PUT A CORK IN IT // 1830 // #2188 Cask // Kinetex
8. SANTORINI // 4120 // #125 Ash // Stock Rug
9. AGAINST THE GRAIN // 1840 // #2825 Millet // Kinetex
10. TECHNIQUE // 780/ // #2678 Salty // Modulas

10. TECHNIQUE // 7804 // #3678 Salty // Modular



Reaction 19.69" X 39.37" MODULAR

COLOR 1168

switch





restyle

COLOR 1170 save

Response 7.87" X 47.24" MODULAR



COLOR 1160 recycle

COLOR 1162 salvage





convert

COLOR 1164 reuse COLOR 1165 take back COLOR 1166 modify





COLOR 1163 beneficial



COLOR 1167 alter

GREEN SMART	STYLE	Reaction V5053	Response V5052
A COMMON SENSE APPROACH TO SUSTAINABILITY	THICKNESS	2.2 mm	2.2 mm
Green Smart represents J+J Flooring's sustainability philosophy, by reducing energy usage, limiting waste, and supporting renewable energy carbon offset projects, we are pursuing our shared goal of bettering the planet, one floor at a time.	COMPOSITION	bio-based commercial rated heterogeneous polyurethane flooring	bio-based commercial rated heterogeneous polyurethane flooring
	NOMINAL DIMENSIONS (INCHES)	50cm x 100cm (19.69" x 39.37")	20cm x 120cm (7.87" x 47.24")
	PATTERN REPEAT	4 tiles	10 planks
Our bio-based resilient flooring is a heterogeneous commercial rated polyurethane flooring made from natural ingredients and manufactured in an ecologically responsible factory. At its core is a sustainable high performance composite material produced from plant based oils such as canola or castor oil and naturally occurring mineral components like chalk.	MICRO BEVELED	yes	yes
	ASTM SPECIFICATION STANDARD	F3404	F3404
	SQUARE FEET PER PLANK / TILE	5.38	2.58
Contains no chlorine, plasticizers, solvents, or harmful pollutants	SQUARE FEET PER CARTON	64.58	59.42
	PRODUCT WARRANTY	15 year commercial warranty	15 year commercial warranty
Contributes to LEED, Living Building Challenge and WELL	REQUIRED ADHESIVE(S)	Purfix UltraTech Adhesive	Purfix UltraTech Adhesive
Stain resistant to some of the most stubborn chemicals	MODULAR INSTALLATION METHODS	parquet basketweave ashlar brick herringbone	ashlar ½ drop herringbone
High dimensional and thermal stability			
Scratch, indentation, and wear resistant			
No finishing, waxing, buffing or stripping needed			

UV resistant

Odor neutral

WARRANTIES

We stand behind every aspect of our Bio-based Resilient. Warranty is covered for 15 years, provided that installation and maintenance is in accordance with J+J Flooring's Bio-based Resilient Installation instructions.



©2025 J+J Flooring Group, LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not J+J Flooring's responsibility.



P.O. BOX 2207 DALTON, GA 30722 P 800 241 4586 F 706 275 4433

JJFLOORING.COM

J+J FLOORING

AX6225M04